

HOLOSUN K FOOTPRINT

FEATURES		407K		507K		EPS		EPS CARRY		RONIN EPS CARRY		SCS CARRY	
Enclosed	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Shake Awake™	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Battery Life	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Solar Failsafe™	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Solar Charging	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Reticles		Red: HS407K X2		Red: HS507K X2		Red: EPS-RD-MRS		Red: EPS-CARRY-RD-MRS		Red: RONIN-EPS-CARRY-RD-MRS		Green: SCS-CARRY-GR	
SPECIFICATIONS		Weight [Dz]		Up to 50,000 Hours		Up to 20,000 Hours							
Weight [Dz]		1oz		6 MOA Dot		1.0oz							
Housing Material		7075 T6 Aluminum		MRS-Multi-Reticle System™		MRS-Multi-Reticle System™		MRS-Multi-Reticle System™		MRS-Multi-Reticle System™		7075 T6 Aluminum	
Battery Type		CR1632 Battery		32 MOA Ring & 2 MOA Dot		32 MOA Ring & 2 MOA Dot		32 MOA Ring & 2 MOA Dot		32 MOA Ring & 2 MOA Dot		CR1632 Battery	
Brightness Settings		10 DL & 2 NV		FITS									
Dimensions [In]		Body: 1.6x0.98x0.95" Window: 0.58x0.77"		Green: HE407K-GR X2		Green: HE507K-GR X2		Green: EPS-GR-MRS		Green: EPS-CARRY-GR-MRS		Green: RONIN-EPS-CARRY-GR-MRS	
IN THE BOX		IN THE BOX		IN THE BOX		IN THE BOX		IN THE BOX		IN THE BOX		IN THE BOX	
Body		1oz		10 DL & 2 NV		10 DL & 2 NV		8 DL & 4 NV		8 DL & 4 NV		8 DL & 4 NV	
Weight		7075 T6 Aluminum		CR1632 Battery		CR1632 Battery		CR1620 Battery		CR1620 Battery		CR1620 Battery	
Dimensions [In]		10 DL & 2 NV		IN THE BOX									
Body		Body: 1.6x0.98x0.95" Window: 0.58x0.77"											
Window		Window: 0.58x0.77"											

FEATURES		407K		507K		EPS		EPS CARRY		RONIN EPS CARRY		SCS CARRY	
Enclosed	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Shake Awake™	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Battery Life	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Solar Failsafe™	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Solar Charging	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Reticles		Red: HS407K X2		Red: HS507K X2		Red: EPS-RD-MRS		Red: EPS-CARRY-RD-MRS		Red: RONIN-EPS-CARRY-RD-MRS		Green: SCS-CARRY-GR	
SPECIFICATIONS		Weight [Dz]		Up to 50,000 Hours		Up to 20,000 Hours							
Weight [Dz]		1oz		6 MOA Dot		1.0oz							
Housing Material		7075 T6 Aluminum		MRS-Multi-Reticle System™		MRS-Multi-Reticle System™		MRS-Multi-Reticle System™		MRS-Multi-Reticle System™		7075 T6 Aluminum	
Battery Type		CR1632 Battery		32 MOA Ring & 2 MOA Dot		32 MOA Ring & 2 MOA Dot		32 MOA Ring & 2 MOA Dot		32 MOA Ring & 2 MOA Dot		CR1632 Battery	
Brightness Settings		10 DL & 2 NV		FITS		FITS		FITS		FITS		FITS	
Dimensions [In]		10 DL & 2 NV		IN THE BOX		IN THE BOX							
Body		Body: 1.6x0.98x0.95"		Body: 1.6x0.98x0.95"		Body: 1.6x0.98x0.95"		Body: 1.6x0.98x0.95"		Body: 1.6x0.98x0.95"		Body: 1.6x0.98x0.95"	
Window		Window: 0.58x0.77"		Window: 0.58x0.77"		Window: 0.58x0.77"		Window: 0.58x0.77"		Window: 0.58x0.77"		Window: 0.58x0.77"	

FEATURES		407C		507C		508T		509T		507COMP		OVERVIEW	
Enclosed	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Shake Awake™	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Battery Life	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Solar Failsafe™	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Solar Charging	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎	◎
Reticles		Red: HS407C X2											